

THE
BIG SHOT
UNDERGROUND PIERCING TOOLS




**TOUGH
TRENCHLESS
TECHNOLOGY**

Specifically Designed For Use in the Installation of:

- **Water and Gas Services**
- **TV, Hydro and Telephone Cables**
- **Irrigation and Lighting Systems**
- **Computer Network and Security Systems Cables**

BIG SHOT Performance Features

Footage Tools' pneumatic piercing tools have been constructed with the highest level of quality in mind. All BIG SHOTS are CNC machined to exact dimensional tolerance from a solid billet of nickel chromoly steel and fully heat treated for superior strength and wearability. Our pistons are designed to withstand high impact conditions, are wear resistant and treated with an anti-corrosive phosphate coating. Other features include an easily replaceable cartridge style shock absorber and a flexible air tube assembly to minimize internal deflection.



Renowned Quality and Service

The BIG SHOT maintains Footage Tools tradition of design excellence. We've combined innovative design and superior manufacturing processes to produce a tool of the highest quality. To support this, every BIG SHOT we sell comes with a comprehensive two-year warranty - your assurance that the BIG SHOT you purchase will provide the excellent performance you expect.

When your BIG SHOT needs service, you will deal with one of our

factory trained distributors who pride themselves in providing prompt, reliable service.

Footage Tools has become Canada's leading manufacturer of piercing tools by continually improving the quality and capabilities of its tools. By listening to our customers we maintain a thorough understanding of their applications and the performance demanded of our tools. Our sales and service staff stay in close touch with our customers in the field and are able to quickly alert our manufacturing center to any product concerns as well as new ideas for future tools and accessories.



One Man Tool Operation




The BIG SHOT is simple to operate. All you need is an air compressor (capable of delivering 25-75 CFM @ 80-110 PSI, depending on the model used), in-line lubricator and a suitable entry and exit pit. Place the tool in the bottom of the entry pit and set it to the desired direction. Then open the air valve and the BIG SHOT goes to work. The BIG SHOT works well in various soil types and conditions with an optional stepped head for rocky soil to help maintain directional stability. Should the tool encounter an immovable obstacle it can be easily reversed by turning the air hose counter-clockwise.

Relieved Midsection Barrel to Reduce Friction and Increase Speed

High Strength Barrel Machined From Solid Material

Phosphate Coating on Piston to Minimize Corrosion

Replaceable Nose Pin (model U300 only)



Relentless Product Testing

At Footage Tools we realize the importance of durability and reliability when it comes to tool performance. This is why we have engineered and manufactured our unique and very specialized piercing tool testing system.

This simulates difficult working conditions, and effectively places years of life on the BIG SHOT before any model design is ready for market. The BIG SHOT is tested on site daily, where we continually analyze and implement new innovations, while pushing the tool to its limits. At Footage Tools we are committed to our customers and our products. For this reason, you can take comfort in knowing that whenever you purchase a BIG SHOT, you are not only purchasing a tool, but also peace of mind.



Industry Leading
2 Year Comprehensive Warranty!

Model Specifications




Model	Dia.	Weight	Length	Avg. Air Consumption
U215	2"	23 lbs	35"	25 CFM @ 80-100 PSI
U262	2 1/2"	56 lbs	55"	50 CFM @ 90-110 PSI
U300	3"	75 lbs	55"	50 CFM @ 90-110 PSI
U400	4"	108 lbs	59"	75 CFM @ 90-110 PSI

Accessories

Part Number	Description
L110	11 oz. in-line lubricator for optimal lubrication of tool.
L300-1L	Synthetic lubricant prevents icing, wear and corrosion. This lubricant is fully biodegradable and is recommended for all models.
U50	50' air hose, rubber coated steel braid construction for added life span.
U500-11	Magnetic level

Part	Compatible Model and Part Number
Expanders	4.5" dia. for U300 (U300-27) 5.5" dia. for U400 (U400-28)
Stepped Head	U300 (U300-33)
Pipe Puller Extension	U300 (U300-21)
Tailpiece Pulling Cable	U300 (U300-26)
Tailpiece Wrench	U215 (U215-23), U262 (U262-23), U300 (U300-23), U400 (U400-23)



For sales and service, contact your local Footage Tools Distributor:

Trenchless Utility Equipment Inc.
 2070 Queensway Drive,
 P.O. Box 1338 Burlington, ON L7R 4L9
 Ph: (905) 634-0669 Fax: (905) 634-6685
 info@trenchlessutility.com

